

مدل	مشخصات فنی	قیمت (ریال)
1 AC-DH3120V	<p>1/2.9" Sony Image Sensor            2.8~12mm 2 MegaPixel Varifocal lens            1920 (H) × 1080 (V) Resolution , <b>2.1 MP</b>            Mechanical ICR , 2DNR , DWDR , BLC , HLC            30~35 m IR Board , 30 IR LED            OSD Menu by UTC(output 3-in-1)            IP66 ,IK10</p>	 <p>3,980,000</p>
2 AC-DH1050-E	<p>1/2.5" Image Sensor            3.6mm 5 MegaPixel Fixed lens            Resolution 2608 (H) × 1952(V), 5.0MP            Mechanical ICR, 2DNR , AWB, BLC            40~45 m IR Board , 48 IR LED            OSD Menu by UTC(output 4-in-1)            IP66, Metal Case</p>	 <p>3,500,000</p>
3 AC-DH1020-EL	<p>1/2.9" Image Sensor            3.6mm 2 MegaPixel Fixed lens            1920 (H) × 1080 (V) Resolution , 2 MP            Mechanical ICR , 3DNR , DWDR , AWB, BLC            OSD Menu by UTC (output 4-in-1)            40~45 m IR Board , 48 IR LED            IP66, Metal Case</p>	 <p>2,930,000</p>
4 AC-DH1020-E	<p>1/2.9" Image Sensor            3.6mm 2 MegaPixel Fixed lens            1932 (H) × 1088 (V) Resolution , 2.1 MP            Mechanical ICR , 3DNR , DWDR , AWB, BLC            OSD Menu by UTC (output 4-in-1)            40~45 m IR Board , 48 IR LED            IP66, Metal Case</p>	 <p>3,120,000</p>
5 AC-DH1040	<p>1/3" Omnivision Image Sensor            3.6 mm 4 MegaPixel Fix lens            2688 (H) × 1520 (V) Resolution , 4MP            Mechanical ICR, DWDR , 2DNR , HLC            40~45 m IR Board , 48 IR LED            OSD Menu by UTC(output 2-in-1)            IP66, Metal Case</p>	 <p>3,950,000</p>
6 AC-DH2020N-EL	<p>1/2.9" Image Sensor            3.6mm 2 MegaPixel Fixed lens            1920 (H) × 1080 (V) Resolution , 2 MP            Mechanical ICR , 3DNR , DWDR , AWB, BLC            30~35 m IR Board , 36 IR LED            OSD Menu by UTC (output 4-in-1)            IP66</p>	 <p>2,720,000</p>
7 AC-DH2020N-E	<p>1/2.9" Image Sensor            3.6mm 2 MegaPixel Fixed lens            1932 (H) × 1088 (V) Resolution , 2.1 MP            Mechanical ICR , 3DNR , DWDR , AWB, BLC            30~35 m IR Board , 36 IR LED            OSD Menu by UTC(output 4-in-1)            IP66</p>	 <p>2,890,000</p>

**NEW Product**

مدل	مشخصات فنی	قیمت (ریال)
8 AC-DH2120V	1/2.8" Sony Image Sensor , Next Chip DSP 2.8~12 mm 2 MegaPixel Varifocal lens 1080P (1920×1080) Resolution , 2.4 MP Mechanical ICR , 3DNR , DWDR , BLC , HLC 35~40 m IR Board , 36 IR LED OSD Menu , Metal Case	 4,210,000
9 AC-DH3040	1/3" Omnivision Image Sensor 3.6 mm 4 MegaPixel Fix lens 2688 (H) × 1520 (V) Resolution , <b>4MP</b> Mechanical ICR, DWDR, 2DNR, BLC, HLC OSD Menu by UTC(output 2-in-1) 30~35 m IR Board , 30 IR LED IP66	 3,860,000
10 AC-BH1320-E	1/2.9" Image Sensor 3.6mm 2 MegaPixel Fixed lens 1932 (H) × 1088 (V) Resolution , 2.1 MP Mechanical ICR , 3DNR , DWDR , AWB, BLC 35~40 m IR Board, High power LED OSD Menu by UTC (output 4-in-1) IP66	 3,100,000
11 AC-BH4020-E	1/2.9" Image Sensor 3.6mm 2 MegaPixel Fixed lens 1932 (H) × 1088 (V) Resolution , 2.1 MP Mechanical ICR , 3DNR , DWDR , AWB, BLC 35~40 m IR Board, 42 IR LED OSD Menu by UTC (output 4-in-1) IP66	 3,300,000
12 AC-BH4320-EL	1/2.9" Image Sensor 3.6mm 2 MegaPixel Fixed lens 1920 (H) × 1080 (V) Resolution , 2 MP Mechanical ICR , 3DNR , DWDR , AWB, BLC 25~30 m IR Board, 6 Mini Array OSD Menu by UTC (output 4-in-1) IP66	 2,750,000
13 AC-BH5120-E	1/2.9" Image Sensor 3.6mm 2 MegaPixel Fixed lens 1932 (H) × 1088 (V) Resolution , 2.1 MP Mechanical ICR , 3DNR , DWDR , AWB, BLC 20~30 m IR Board, 36 IR LED OSD Menu by UTC (output 4-in-1) IP66	 2,900,000
14 AC-BH5020N-E	1/2.9" Image Sensor 3.6mm 2 MegaPixel Fixed lens 1932 (H) × 1088 (V) Resolution , 2.1 MP Mechanical ICR, DWDR , 3DNR , AWB, BLC 30~35 m IR Board , 30 IR LED OSD Menu by UTC(output 4-in-1) IP66	 3,150,000

مدل	مشخصات فنی	قیمت (ریال)
15 AC-BH5320-EL	<p>1/2.9" Image Sensor  3.6mm 2 MegaPixel Fixed lens  1920 (H) × 1080 (V) Resolution , 2 MP  Mechanical ICR , 3DNR , DWDR , AWB, BLC  25~30 m IR Board, 6 Mini Array  OSD Menu by UTC (output 4-in-1)  IP66</p>	2,750,000
16 AC-BH6320-EL	<p>1/2.9" Image Sensor  3.6mm 2 MegaPixel Fixed lens  1920 (H) × 1080 (V) Resolution , 2 MP  Mechanical ICR , 3DNR , DWDR , AWB, BLC  25~30 m IR Board, 6 Mini Array  OSD Menu by UTC (output 4-in-1)  IP66</p>	2,750,000
17 AC-BH6520-EL	<p>1/2.9" Image Sensor  3.6mm 2 MegaPixel Fixed lens  1920 (H) × 1080 (V) Resolution , 2 MP  Mechanical ICR , 3DNR , DWDR , AWB, BLC  35~40 m IR Board, 42 IR LED  OSD Menu by UTC (output 4-in-1)  IP66</p>	3,100,000
18 AC-BH9120-E	<p>1/2.9" Image Sensor  3.6mm 2 MegaPixel Fixed lens  1932 (H) × 1088 (V) Resolution , 2.1 MP  Mechanical ICR, DWDR , 3DNR , AWB, BLC  60 m IR Board , 2 Array LED  OSD Menu by UTC (output 4-in-1)  IP66</p>	3,800,000
19 AC-BH9020-E	<p>1/2.9" Image Sensor  3.6mm 2 MegaPixel Fixed lens  1932 (H) × 1088 (V) Resolution , 2.1 MP  Mechanical ICR, DWDR , 3DNR , AWB, BLC  40 m IR Board , 1 Array LED  OSD Menu by UTC(output 4-in-1)  IP66</p>	3,400,000
20 AC-BH6020N-EL	<p>1/2.9" Image Sensor  3.6mm 2 MegaPixel Fixed lens  1920 (H) × 1080 (V) Resolution , 2 MP  Mechanical ICR , 3DNR , DWDR , AWB, BLC  35~35 m IR Board  OSD Menu by UTC (output 4-in-1)  IP66</p>	2,820,000
21 AC-BH6020N-E	<p>1/2.9" Image Sensor  3.6mm 2 MegaPixel Fixed lens  1932 (H) × 1088 (V) Resolution , 2.1 MP  Mechanical ICR , 3DNR , DWDR , AWB, BLC  35~35 m IR Board  OSD Menu by UTC(output 4-in-1)  IP66</p>	2,980,000

مدل	مشخصات فنی	قیمت (ریال)
22 AC-BH6040N	<p>1/3" Omnivision Image Sensor            3.6 mm 4 MegaPixel Fix lens            2688 (H) × 1520 (V) Resolution , 4MP            Mechanical ICR, DWDR , 2DNR , HLC            OSD Menu by UTC(output 2-in-1)            30~35 m IR Board            IP66</p>	3,700,000
23 AC-BH7020N-E	<p>1/2.9" Image Sensor            3.6mm 2 MegaPixel Fixed lens            1932 (H) × 1088 (V) Resolution , 2.1 MP            Mechanical ICR , 3DNR , DWDR , AWB, BLC            OSD Menu by UTC(output 4-in-1)            40~50 m IR Board, High power IR LED            IP66</p>	3,870,000
24 AC-BH7040N	<p>1/3" Omnivision Image Sensor            3.6 mm 4 MegaPixel Fix lens            2688 (H) × 1520 (V) Resolution , 4MP            Mechanical ICR, DWDR , 2DNR , HLC            OSD Menu by UTC(output 2-in-1)            40~50 m IR Board, High power IR LED            IP66</p>	4,400,000
25 AC-BH7050-E	<p>1/2.5" Image Sensor            3.6mm 5 MegaPixel Fixed lens            Resolution 2608 (H) × 1952(V), 5.0MP            Mechanical ICR, 2DNR , AWB, BLC            40~50 m IR Board ,High power IR LED            OSD Menu by UTC(output 4-in-1)            IP66</p>	4,000,000
26 AC-BH7140V	<p>1/3" Omnivision Image Sensor            2.8~12 mm 4 MegaPixel Varifocal lens            2688 (H) × 1520 (V) Resolution , <b>4MP</b>            Mechanical ICR, DWDR, 2DNR, BLC, HLC            OSD Menu by UTC(output 2-in-1)            50~60 m IR Board , 48 IR LED            IP66</p>	6,300,000
27 AC-BH7120V-E	<p>1/2.9" Image Sensor            2.8~12mm 2 MegaPixel Varifocal lens            Resolution 1932 (H) × 1088 (V), 2.1MP            Mechanical ICR, DWDR , 3DNR , AWB, BLC            50~60 m IR Board , 48 IR LED            OSD Menu by UTC(output 4-in-1)            IP66</p>	4,950,000
28 AC-BH4220	<p>1/2.8" Sony <b>Starlight</b> Image Sensor            3.6 mm 3 MegaPixel Fix lens            1920 (H) × 1080 (V) Resolution , <b>2.2 MP</b>            F1.2 Max. Aperture            0.002Lux(F1.2,AGC ON) Minimum illumination            Color by Default in Night Mode            Mechanical ICR , 3DNR , DWDR , BLC , HLC            30~35 m IR Board , 30 IR LED            OSD Menu by UTC(output 4-in-1)            IP66</p>	4,600,000

**Starlight**

مدل	مشخصات فنی	قیمت (ریال)
29 AC-BH8050-E	<p>1/2.5" Image Sensor  3.6mm 5 MegaPixel Fixed lens  Resolution 2608 (H) × 1952(V), 5.0MP  Mechanical ICR, 2DNR , AWB, BLC  50~60m IR Board , high power IR LED  OSD Menu by UTC(output 4-in-1)  IP66</p>	4,300,000
30 AC-BH8020-E	<p>1/2.9" Image Sensor  3.6 mm 2 MegaPixel Fix lens  Resolution 1932 (H) × 1088 (V), 2.1MP  Mechanical ICR, DWDR , 3DNR , AWB, BLC  50~60m IR Board , high power IR LED  OSD Menu by UTC(output 4-in-1)  IP66</p>	3,950,000
31 AC-BH8040	<p>1/3" Omnivision Image Sensor  3.6 mm 4 MegaPixel Fix lens  2688 (H) × 1520 (V) Resolution , <b>4MP</b>  Mechanical ICR, DWDR, 2DNR, BLC, HLC  OSD Menu by UTC (output 2-in-1)  <b>50~60 m IR Board , high power IR LED</b>  IP66</p>	4,800,000
32 <b>AAD-7104X-A1</b> NEW Product	<p>4CH AHD <b>H.265 5MP-N</b> None-Real Time DVR  4CH AHD Camera(HD Mode), 16CH IP Camera (IP Mode)  Preview Capacity:4*5MP-N@20fps/4*4MP-N@25fps/4*1080P@25fps  Code Capacity: 4*5MP-N@8fps/4*4MP-N@15fps/4*1080P@18fps/4*1080N@25fps  4CH Playback  <b>Support real-time face detection, Face list</b>  <b>Pentabrid</b> (Analogue,AHD,CVI,TVI,IP)  HDMI &amp; VGA Video Output  1 SATA HDD Up to 6TB  1CH Audio In  2*USB 2.0  1*10/100 Mbps LAN Interface  P2P support  IOS-Andriod Mobile APP &amp; CMS PC Software</p>	6,400,000
<b>AAD-7108X-A1</b> NEW Product	<p>8CH AHD <b>H.265 5MP-N</b> DVR  8CH AHD Camera(HD Mode), 16CH IP Camera (IP Mode)  Preview Capacity:8*5MP-N@12fps/8*4MP-N@15fps/8*1080N@25fps  Code Capacity:8*5MP-N@6fps/8*4MP-N@8fps/8*1080P@8fps/8*1080N@15fps  8CH Playback:4ch main stream/8ch sub-stream  <b>Support real-time face detection, Face list, Face playback</b>  <b>Pentabrid</b> (Analogue,AHD,CVI,TVI,IP)  HDMI &amp; VGA Video Output  1 SATA HDD Up to 6TB  1CH Audio In  2*USB 2.0  1*10/100 Mbps LAN Interface  P2P support  IOS-Andriod Mobile APP &amp; CMS PC Software</p>	8,800,000

مدل	مشخصات فنی	قیمت (ریال)
-----	------------	-------------

33 **AAD-7116X-A1**

NEW Product

16CH AHD **H.265 5MP-N** DVR  
 16CH AHD Camera(HD Mode), 16CH IP Camera (IP Mode)  
**Preview Capacity:**16\*5MP-N@12fps/16\*4MP-N@15fps/16\*1080N@25fps  
**Code Capacity:**16\*5MP-N@6fps/16\*4MP-N@8fps/16\*1080P@8fps/16\*1080N@15fps  
 16CH Playbac  
**Support real-time face detection, Face list and Face playback**  
 Pentabrid (Analoge,AHD,CVI,TVI,IP)  
 HDMI & VGA Video Output  
 1 SATA HDD Up to 6TB for each port  
 1CH Audio In  
 2\*USB 2.0  
 1\*10/100 Mbps LAN Interface  
 P2P support  
 IOS-Andriod Mobile APP & CMS PC Software

15,200,000



34 **AAD-7432X-A16**

NEW Product

32CH AHD **H.265 5MP-N** DVR  
 32CH AHD Camera(HD Mode), 32CH IP Camera (IP Mode)  
 Preview Capacity:32\*5MP-N@12fps/32\*4MP-N@15fps/32\*1080N@25fps  
 Code Capacity:32\*5MP-N@6fps/32\*4MP-N@8fps/32\*1080P@8fps/32\*1080N@15fps  
 16CH Playback  
**Support real-time face detection, Face list and Face playback**  
 Pentabrid (Analoge,AHD,CVI,TVI,IP)  
 HDMI(up to 4K) & VGA Video Output  
 4 SATA HDD Up to 6TB for each port  
 16CH Audio In  
 2\*USB 2.0  
 1\*10M/100M/1000M Mbps LAN Interface  
 P2P support  
 IOS-Andriod Mobile APP & CMS PC Software

54,000,000

