




لیست قیمت مصرف کننده


ردیف	مدل	مشخصات فنی	تصویر	قیمت (ریال)
1	Metis200ASF-E	1/2.9" Image Sensor 3.6 mm 2 MegaPixel Fixed lens Resolution 1932 (H) × 1088 (V), 2.1MP Mechanical ICR, DWDR, 3DNR, AWB, BLC 30~40 m IR Board ,High Power LED OSD Menu by UTC(output 4-in-1)		2,380,000
2	Metis200ASF-EL	1/2.9" Image Sensor 3.6mm 2 MegaPixel Fixed lens 1920 (H) × 1080 (V) Resolution , 2 MP Mechanical ICR , 3DNR , DWDR , AWB, BLC 30~40 m IR Board ,High Power LED OSD Menu by UTC (output 4-in-1)		2,160,000
3	Norma200ASF-EL	1/2.9" Image Sensor 3.6mm 2 MegaPixel Fixed lens 1920 (H) × 1080 (V) Resolution , 2 MP Mechanical ICR , 3DNR , DWDR , AWB, BLC 15~20 m IR Board ,High Power LED OSD Menu by UTC (output 4-in-1) IP66		2,700,000
4	Norma200ASF-E	1/2.9" Image Sensor 3.6 mm 2 MegaPixel Fixed lens Resolution 1932 (H) × 1088 (V), 2.1MP Mechanical ICR, DWDR, 3DNR ,AWB, BLC 15~20 m IR Board OSD Menu by UTC(output 4-in-1) IP66		2,900,000
5	Norma400ASF	1/3" Omnivision Image Sensor 3.6 mm 4 MegaPixel Fixed lens 2688 (H) × 1520 (V) Resolution , 4MP Mechanical ICR, DWDR, 2DNR , HLC 15~20 m IR Board OSD Menu by UTC(output 2-in-1) IP66		4,100,000
6	Phobos 200ASV	1/2.9" Sony Image Sensor 2.8~12 mm 2 MegaPixel Varifocal Lens 1920 (H) × 1080 (V) Resolution , 2.1 MP Mechanical ICR, DWDR, 3DNR , HLC OSD Menu by UTC(output 4-in-1) 35~40 m IR Board IP66		4,250,000
7	LENCI 200ALF-EL	1/2.9" Image Sensor 3.6mm 2 MegaPixel Fixed lens 1920 (H) × 1080 (V) Resolution , 2.0 MP Mechanical ICR , 3DNR , DWDR , AWB, BLC 25~35 m IR Board, 36 IR LED OSD Menu by UTC (output 4-in-1) IP66		2,850,000


ردیف	مدل	مشخصات فنی	تصویر	قیمت (ریال)
8	ERIS 200ALF-EL	1/2.9" Image Sensor 3.6mm 2 MegaPixel Fixed lens 1920 (H) × 1080 (V) Resolution , 2.0 MP Mechanical ICR , 3DNR , DWDR , AWB, BLC 25~35 m IR Board, 36 IR LED OSD Menu by UTC (output 4-in-1) IP66		2,850,000
9	ELPIS 200ALF-EL	1/2.9" Image Sensor 3.6mm 2 MegaPixel Fixed lens 1920 (H) × 1080 (V) Resolution , 2.0 MP Mechanical ICR , 3DNR , DWDR , AWB, BLC 25~35 m IR Board, 36 IR LED OSD Menu by UTC (output 4-in-1) IP66		2,750,000
10	Polaris200ALF-EL	1/2.9" Image Sensor 3.6 mm 2 MegaPixel Fixed lens 1920 (H) × 1080 (V) Resolution , 2.0 MP Mechanical ICR, DWDR , 3DNR , AWB, BLC 25~30m IR Board, 6 Mini Array OSD Menu by UTC(output 4-in-1) IP66		2,700,000
11	Carpo200ALF-E	1/2.9" Image Sensor 3.6 mm 2 MegaPixel Fixed lens Resolution 1932 (H) ×1088 (V), 2.1MP Mechanical ICR, DWDR , 3DNR , AWB, BLC 45~50 m IR Board, 42 IR LED OSD Menu by UTC(output 4-in-1) IP66		3,300,000
12	ERINOM 200ALF-EL	1/2.9" Image Sensor 3.6 mm 2 MegaPixel Fixed lens 1920 (H) × 1080 (V) Resolution , 2.0 MP Mechanical ICR, DWDR , 3DNR , AWB, BLC 25~30m IR Board, 36 IR LED OSD Menu by UTC(output 4-in-1) IP66		2,750,000
13	Caprina200ALF	1/2.9" Sony Image Sensor 3.6mm 2 MegaPixel Fixed lens Resolution 1920 (H) ×1080 (V), 2.0MP Mechanical ICR, DWDR , 3DNR , BLC, HLC 60 m IR Board OSD Menu by UTC(output 4-in-1) IP66		4,200,000
14	Caprina400ALF	1/3" Omnivision Image Sensor 3.6 mm 4 MegaPixel Fix lens 2688 (H) × 1520 (V) Resolution , 4MP Mechanical ICR, DWDR , 2DNR , HLC 60 m IR Board OSD Menu by UTC(output 2-in-1) IP66		5,040,000

ردیف	مدل	مشخصات فنی	تصویر	قیمت (ریال)
15	Parsis200ALF-E	1/2.9" Image Sensor 3.6 mm 2 MegaPixel Fix lens Resolution 1932 (H) ×1088 (V), 2.1MP Mechanical ICR, DWDR, 3DNR, AWB, BLC 25~30 m IR Board, 36 IR LED OSD Menu by UTC(output 4-in-1) IP66		2,950,000
16	Parsis200ALF-EL	1/2.9" Image Sensor 3.6mm 2 MegaPixel Fixed lens 1920 (H) × 1080 (V) Resolution, 2.0 MP Mechanical ICR, 3DNR, DWDR, AWB, BLC 25~30 m IR Board, 36 IR LED OSD Menu by UTC (output 4-in-1) IP66		2,700,000
17	Parsis400ALF	1/3" Omnivision Image Sensor 3.6 mm 4 MegaPixel Fix lens 2688 (H) × 1520 (V) Resolution, 4MP Mechanical ICR, DWDR, 2DNR, HLC 25~30 m IR Board, 36 IR LED OSD Menu by UTC(output 2-in-1) IP66		4,100,000
18	Narsis200ALF-E	1/2.9" Image Sensor 3.6mm 2 MegaPixel Fixed lens Resolution 1932 (H) ×1088 (V), 2.1MP Mechanical ICR, DWDR, 3DNR, AWB, BLC 35~40 m IR Board, 42 IR LED OSD Menu by UTC(output 4-in-1) IP66		3,300,000
19	Narsis200ALF-EL	1/2.9" Image Sensor 3.6mm 2 MegaPixel Fixed lens 1920 (H) × 1080 (V) Resolution, 2.0 MP Mechanical ICR, 3DNR, DWDR, AWB, BLC 35~40 m IR Board, 42 IR LED OSD Menu by UTC (output 4-in-1) IP66		3,050,000
20	Narsis400ALF	1/3" Omnivision Image Sensor 3.6 mm 4 MegaPixel Fix lens 2688 (H) × 1520 (V) Resolution, 4MP Mechanical ICR, DWDR, 2DNR, HLC 35~40 m IR Board, 42 IR LED OSD Menu by UTC(output 2-in-1) IP66		4,590,000
21	Titan200ALF-E	1/2.9" Image Sensor 3.6mm 2 MegaPixel Fixed lens Resolution 1932 (H) ×1088 (V), 2.1MP Mechanical ICR, DWDR, 3DNR, AWB, BLC 25~35 m IR Board, 36 IR LED OSD Menu by UTC(output 4-in-1) IP66		2,950,000

ردیف	مدل	مشخصات فنی	تصویر	قیمت (ریال)
22	TITAN 200ALF-EL	1/2.9" Image Sensor 3.6mm 2 MegaPixel Fixed lens Resolution 1920 (H) ×1080 (V), 2.0MP Mechanical ICR, DWDR , 3DNR , AWB, BLC 25~35 m IR Board, 36 IR LED OSD Menu by UTC(output 4-in-1) IP66		2,650,000
23	Callisto200ALF-E	1/2.9" Image Sensor 3.6 mm 2 MegaPixel Fix lens Resolution 1932 (H) ×1088 (V), 2.1MP Mechanical ICR, DWDR , 3DNR , AWB, BLC 20~25 m IR Board OSD Menu by UTC(output 4-in-1) IP66		2,990,000
24	AVILON 200ALV-E	1/2.9" Image Sensor 2.8~12mm 2MP Varifocal lens Resolution 1932 (H) ×1088 (V), 2.1MP Mechanical ICR, DWDR , 3DNR , AWB, BLC 40~50 m IR Board OSD Menu by UTC(output 4-in-1) IP66		4,940,000
25	Avilon200ALV	1/2.9" Sony Image Sensor 2.8~12 mm 2 MegaPixel Varifocal Lens 1920 (H) × 1080 (V) Resolution , 2.0 MP Mechanical ICR, DWDR , 2DNR , HLC 40~50 m IR Board OSD Menu by UTC(output 4-in-1) IP66		5,350,000
26	Avilon400ALV	1/3" Omnivision Image Sensor 2.8~12 mm 4 MegaPixel Varifocal Lens 2688 (H) × 1520 (V) Resolution , 4MP Mechanical ICR, DWDR , 2DNR , HLC 40~50 m IR Board OSD Menu by UTC(output 2-in-1) IP66		6,200,000
27	Helix400ALF	1/3" Omnivision Image Sensor 3.6 mm 4 MegaPixel Fix lens 2688 (H) × 1520 (V) Resolution , 4MP Mechanical ICR,DWDR , 2DNR , BLC, HLC 40~50 m IR Board , Array LED OSD Menu by UTC(output 2-in-1) IP66		4,750,000
28	Helix 200ALF-E	1/2.9" Image Sensor 3.6 mm 2 MegaPixel Fix lens Resolution 1932 (H) ×1088 (V), 2.1MP Mechanical ICR, DWDR , 3DNR , AWB, BLC 40~50 m IR Board , Array LED OSD Menu by UTC(output 4-in-1) IP66		3,690,000

ردیف	مدل	مشخصات فنی	تصویر	قیمت (ریال)
29	KAVARIA 500ALF-E	<p>1/2.5" Image Sensor 3.6mm 5 MegaPixel Fixed lens Resolution 2608 (H) × 1952(V), 5.0MP Mechanical ICR, 2DNR , AWB, BLC 40~50 m IR Board , Array LED OSD Menu by UTC(output 4-in-1) IP66</p>		4,100,000
30	KAVARIA 200ALF-EL	<p>1/2.9" Image Sensor 3.6mm 2 MegaPixel Fixed lens Resolution 1920 (H) × 1080 (V), 2.0MP Mechanical ICR, DWDR , 3DNR , AWB, BLC 40~50 m IR Board , Array LED OSD Menu by UTC(output 4-in-1) IP66</p>		3,450,000
31	OHD-6104X-A1 NEW Product	<p>4CH AHD H.265 5MP-N None-Real Time DVR 4CH AHD Camera(HD Mode), 16CH IP Camera (IP Mode) Preview Capacity:4*5MP-N@20fps/4*4MP-N@25fps/4*1080P@25fps Code Capacity: 4*5MP-N@8fps/4*4MP-N@15fps/4*1080P@18fps/4*1080N@25fps 4CH Playback Support real-time face detection, Face list Pentabrid (Analoge,AHD,CVI,TVI,IP) HDMI & VGA Video Output 1 SATA HDD Up to 6TB 1CH Audio In 2*USB 2.0 1*10/100 Mbps LAN Interface P2P support IOS-Andriod Mobile APP & CMS PC Software</p>		6,400,000
34	OHD-6108X-A1 NEW Product	<p>8CH AHD H.265 5MP-N DVR 8CH AHD Camera(HD Mode), 16CH IP Camera (IP Mode) Preview Capacity:8*5MP-N@12fps/8*4MP-N@15fps/8*1080N@25fps Code Capacity:8*5MP-N@6fps/8*4MP-N@8fps/8*1080P@8fps/8*1080N@15fps 8CH Playback:4ch main stream/8ch sub-stream Support real-time face detection, Face list, Face playback Pentabrid (Analoge,AHD,CVI,TVI,IP) HDMI & VGA Video Output 1 SATA HDD Up to 6TB 1CH Audio In 2*USB 2.0 1*10/100 Mbps LAN Interface P2P support IOS-Andriod Mobile APP & CMS PC Software</p>		8,800,000

37	OHD-6116X-A1 NEW Product	<p>16CH AHD H.265 5MP-N DVR 16CH AHD Camera(HD Mode), 16CH IP Camera (IP Mode) Preview Capacity:16*5MP-N@12fps/16*4MP-N@15fps/16*1080N@25fps Code Capacity:16*5MP-N@6fps/16*4MP-N@8fps/16*1080P@8fps/16*1080N@15fps 16CH Playbac Support real-time face detection, Face list and Face playback Pentabrid (Analoge,AHD,CVI,TVI,IP) HDMI & VGA Video Output 1 SATA HDD Up to 6TB for each port 1CH Audio In 2*USB 2.0 1*10/100 Mbps LAN Interface P2P support IOS-Andriod Mobile APP & CMS PC Software</p>		15,200,000
----	------------------------------------	--	--	------------

40	OHD-6432X-A16 NEW Product	<p>32CH AHD H.265 5MP-N DVR 32CH AHD Camera(HD Mode), 32CH IP Camera (IP Mode) Preview Capacity:32*5MP-N@12fps/32*4MP-N@15fps/32*1080N@25fps Code Capacity:32*5MP-N@6fps/32*4MP-N@8fps/32*1080P@8fps/32*1080N@15fps 16CH Playback Support real-time face detection, Face list and Face playback Pentabrid (Analoge,AHD,CVI,TVI,IP) HDMI(up to 4K) & VGA Video Output 4 SATA HDD Up to 6TB for each port 16CH Audio In 2*USB 2.0 1*10M/100M/1000M Mbps LAN Interface P2P support IOS-Andriod Mobile APP & CMS PC Software</p>		54,000,000
----	-------------------------------------	--	---	------------

